

Colorado WIC Program Physician Authorization Form For WIC Special Formulas and WIC Supplemental Foods

This is a medical documentation request for WIC clinic: medical formula and foods.

This request is subject to WIC	approval		
 This request is subject to WIC based on program policy and p 	rocedure.	C FAX #:	
 Please FAX or return the com form to your local WIC clinic. 	pleted	ention:	
Patient's name (Last, First, MI):			DOB:
Parent/Caregiver's Name:			
. WIC Supplemental Foods Medical provider must complete the follocondition:	owing if a modified f	ood package is require	d due to a medical
□Patient requires a modified food pack □Infant ≥6 months cannot tolerate □Child ≥12 months receiving speci infant fruits and vegetables in li	e solid foods; provide al formula and tolera	e additional formula on ating infant fruits and	
WIC RD/RN will determine appropriate f		•	otherwise.
□ No food restrictions; provide ful□ Omit the following food(s) based			
• Infant 6 - 11 months omit: \Box In	nfant cereal	\square Infant fruits/ veget	ables
Wollieff Offic. — -	Milk Breakfast cereals Fruits & vegetables	☐ Legumes ☐ Pe	/hole grains eanut butter ish (exclusively stfeeding women only)
Optional: Substitute whole milk or reduced are ONLY available if the patient is Substitute soy milk or tofu for mil	receiving special for		
Special instructions:			
I. Health Care Provider Information	on		
Signature of health care provider:			
Provider's name (please print):			
Medical clinic/hospital:			
Phone:	FAX:		Date:
WIC Use Only			
Approved by:		Date:	Rx exp. date:

III. Formula (Please select from list on page two.)



Section 1: Standard C	Contract CO WIC Formulas	5	
Standard Contract CO WIC	☐ Enfamil Infant ☐ Enfamil ProSobee	□ Enfamil Gentlease□ Enfamil Reguline□ Enfamil AR	
Formulas:	NO PRESCRIPTION IS NEEDED FOR		
		tandard formula for children older than	
	A prescription is needed to issue a foods.	dditional formula to 6- to 11-month-olc	I infants who cannot tolerate solid
Many of these products have bee COWIC may provide the followin First, check a diagnosi Second, review the coappropriate for your provided to your paties	ng formulas as temporary substitutes. is category in the left column. presponding formulas on the right and patient. All formulas that are not crosent based on availability.	and the Abbott recall. Therefore, they d check the box. Please strike through a ssed out (in the row corresponding to the	any formula choices that are NOT ne diagnosis category) may be
☐ Prematurity: 22kcal/oz high calorie formulas.	□ Enfamil Neuropro EnfaCare OR Sin	nilac Neosure	
☐ Milk/Soy Allergy or	☐ Nutramigen with Enflora I GG OR I	Nutramigen OR Similac Alimentum OR C	Comforts Hypoallergenic OR
Intolerance/Other: Hypoallergenic formulas for Infants.		pice Hypoallergenic OR UP and UP Hypo	
☐ Severe	☐ Elecare Infant OR Neocate Infant	OR Neocate Syneo Infant OR PurAmino	Infant OR Alfamino Infant
Allergies/FPIES/Other: Amino acid-based formulas for infants.			
☐ Milk/Soy Protein Allergy or Intolerance/Other: Amino acid-based formulas for children 12 months+.	☐ Elecare Jr. OR Alfamino Jr. OR Ne Equacare Jr. OR Essential Care Jr.	eocate Jr. OR Neocate Jr. with Prebioti	cs OR Neocate Splash OR
	ts and Metabolic Formula appropriate formulas for your patient	S	
Supplements:	☐ Boost High Protein	☐ Ensure	☐ Nutren 2.0
	☐ Boost Kid Essentials 1.5 cal	☐ Ensure Plus	☐ Osmolite 1 Cal
	☐ Boost Kid Essentials 1.5 cal with	□ Nutren Junior	☐ PediaSure
	fiber ☐ Bright Beginnings Soy	☐ Nutren Junior with Prebio Fiber☐ Nutren 1.0	☐ PediaSure with Fiber ☐ PediaSure Enteral
	Pediatric Drink	□ Nutren 1.0 with Fiber	☐ PediaSure Enteral with Fiber
	☐ Compleat Pediatric	□ Nutren 1.5	☐ PediaSure 1.5 cal
			☐ PediaSure 1.5 cal with Fiber
Supplements for Special Medical Needs:	☐ Enfaport ☐ Peptamen ☐ Peptamen with Prebio Fiber ☐ Peptamen Junior	☐ Peptamen Junior with Prebio Fiber☐ Portagen☐ Similac PM 60/40	□ Tolerex□ Vivonex Pediatric□ Vivonex T.E.N.
Formulas for	☐ Calcilo-XD ☐ Cyclinex-1 & 2	 ☐ MSUD Anamix Early Years ☐ MSUD Maxamum 	☐ ProViMin☐ RCF
Inherited Metabolic Diseases:	GA-1 Anamix Early Years HCU Anamix Early Years Hominex-1 & 2 IVA Anamix Early Years I Valex-1 & 2 Ketonex-1 & 2 MMA/PA Anamix Early Years	□ Phenex-1 & 2 □ PhenylAde Essential Drink Mix □ Phenyl-Free 1 & 2 □ Phenyl-Free 2 HP □ PKU Periflex Early Years □ PKU Periflex Junior Plus □ Pro-Phree □ Propimex-1 & 2	☐ Tyrex-1 & 2 ☐ Tyrex-1 & 2 ☐ TyROS-1 & 2 ☐ XPhe Maxamum ☐ TYR Anamix Early Years ☐ XLeu Maxamum ☐ XMet Maxamum ☐ XMTVI Maxamum
Human Milk	☐ Similac Human Milk Fortifier Pov	wder*	
Fortifier:	*New physician authorization form re	equired every month.	

Medical provider must complete Sections A, B and C.

	- · ·	_	Incompliand acceptance absorbed as a substitution of
☐ Prematurity☐ LBW	☐ Feeding issues☐ Chewing/swallowing issues	Ш	Impaired nutrient absorption or nutritional deficiency (please specify:
☐ SGA ☐ Underweight	☐ Multiple or severe food allergy ☐ Milk allergy		Medical condition (please specify:
☐ Slow weight gain☐ Weight loss	☐ Soy allergy☐ Gastrointestinal disorders		Metabolic disorder (please specify:
☐ FTT☐ Developmentally not ready for solids	□ Persistent vomiting/diarrhea□ Tube feeding		Other (please specify:
B. Quantity:			
•	owable □ Ounces/day□ Conta	iners,	/day Packets perday
B. Quantity:Daily amount (choose one): □ Max allC. Duration:	owable □ Ounces/day□ Conta	iners,	/day□ Packets perday
Daily amount (choose one): Max all C. Duration:	owable Ounces/day Conta		/day□ Packets perday □ 6 months